

2014

Originalarbeiten

Pruller, F; Wagner, J; Raggam, RB; Hoenigl, M; Kessler, HH; Truschnig-Wilders, M; Krause, R
Automation of serum (1 -> 3)-beta-D-glucan testing allows reliable and rapid discrimination of patients with and without candidemia
MED MYCOL. 2014; 52(5): 455-461.

Stelzer, I; Kröpfel, JM; Fuchs, R; Pekovits, K; Mangge, H; Raggam, RB; Gruber, HJ; Prüller, F; Hofmann, P; Truschnig-Wilders, M; Obermayer-Pietsch, B; Haushofer, AC; Kessler, HH; Mächler, P
Ultra-endurance exercise induces stress and inflammation and affects circulating hematopoietic progenitor cell function.
Scand J Med Sci Sports. 2014; 172C

2013

Originalarbeiten

Ragginer, C; Bernecker, C; Ainoedhofer, H; Pailer, S; Kieslinger, P; Truschnig-Wilders, M; Gruber, HJ
Treatment with the nitric oxide donor SNP increases triiodothyronine levels in hyper- and hypothyroid Sprague-Dawley rats.
Horm Metab Res. 2013; 45(11):808-812

Zelzer, S; Oberreither, R; Bernecker, C; Stelzer, I; Truschnig-Wilders, M; Fauler, G
Measurement of total and free malondialdehyde by gas-chromatography mass spectrometry--comparison with high-performance liquid chromatography methodology.
Free Radic Res. 2013; 47(8):651-656

Prüller, F; Raggam, RB; Mangge, H; Truschnig-Wilders, M; Matzhold, EM; Weiss, EC; Hasiba, B; Summers, KL; Renner, W; Siegert, G; Kostka, H
A novel factor V mutation causes a normal activated protein C ratio despite the presence of a heterozygous F5 R506Q (factor V Leiden) mutation.
Br J Haematol. 2013; 163(3):414-417

Schwarzl, M; Seiler, S; Wallner, M; von Lewinski, D; Huber, S; Maechler, H; Steendijk, P; Zelzer, S; Truschnig-Wilders, M; Obermayer-Pietsch, B; Lueger, A; Pieske, BM; Post, H
Mild hypothermia attenuates circulatory and pulmonary dysfunction during experimental endotoxemia.
Crit Care Med. 2013; 41(12):e401-e410

2012

Originalarbeiten

Schwarzl, M; Huber, S; Maechler, H; Steendijk, P; Seiler, S; Truschnig-Wilders, M; Nestelberger, T; Pieske, BM; Post, H, 2012
Left ventricular diastolic dysfunction during acute myocardial infarction: Effect of mild hypothermia.
Resuscitation. 2012; 83(12):1503-1510

Prüller, F; Raggam, RB; Posch, V; Almer, G; Truschnig-Wilders, M; Horejsi, R; Möller, R; Weghuber, D; Ille, R; Schnedl, W; Mangge, H
Trunk weighted obesity, cholesterol levels and low grade inflammation are main determinants for enhanced thrombin generation.
Atherosclerosis. 2012; 220(1):215-218

Ragginer, C; Lechner, A; Bernecker, C; Horejsi, R; Möller, R; Wallner-Blazek, M; Weiss, S; Fazekas, F; Schmidt, R; Truschnig-Wilders, M; Gruber, HJ
Reduced urinary glutamate levels are associated

with the frequency of migraine attacks in females.
Eur J Neurol. 2012;

Stelzer, I; Zelzer, S; Raggam, RB; Prüller, F; Truschnig-Wilders, M; Meinitzer, A; Schnedl, WJ; Horejsi, R; Möller, R; Weghuber, D; Reeves, G; Postolache, TT; Mangge, H Link between leptin and interleukin-6 levels in the initial phase of obesity related inflammation.
Transl Res. 2012; 159(2):118-124

2011

Originalarbeiten

Bernecker, C; Pailer, S; Kieslinger, P; Horejsi, R; Möller, R; Lechner, A; Wallner-Blazek, M; Weiss, S; Fazekas, F; Truschnig-Wilders, M; Gruber, HJ Increased matrix metalloproteinase activity is associated with migraine and migraine-related metabolic dysfunctions.
Eur J Neurol. 2011; 18(4):571-576

Bernecker, C; Ragginer, C; Fauler, G; Horejsi, R; Möller, R; Zelzer, S; Lechner, A; Wallner-Blazek, M; Weiss, S; Fazekas, F; Bahadori, B; Truschnig-Wilders, M; Gruber, HJ Oxidative stress is associated with migraine and migraine-related metabolic risk in females. Eur J Neurol. 2011; 18(10):1233-1239

Kniepeiss, D; Renner, W; Trummer, O; Wagner, D; Wasler, A; Khoschsorur, GA; Truschnig-Wilders, M; Tscheliessnigg, KH The role of CYP3A5 genotypes in dose requirements of tacrolimus and everolimus after heart transplantation.
Clin Transplant. 2011; 25(1):146-150

Schilcher, G; Ribitsch, W; Otto, R; Portugaller, RH; Quehenberger, F; Truschnig-Wilders, M; Zweiker, R; Stiegler, P; Brodmann, M; Weinhandl, K; Horina, JH Early detection and intervention using neutrophil gelatinase-associated lipocalin (NGAL) may improve renal outcome of acute contrast media induced nephropathy: A randomized controlled trial in patients undergoing intra-arterial angiography (ANTI-CIN Study).
BMC Nephrol. 2011; 12(10):39-39

Schwarzl, M; Steendijk, P; Huber, S; Truschnig-Wilders, M; Obermayer-Pietsch, B; Maechler, H; Pieske, B; Post, H The induction of mild hypothermia improves systolic function of the resuscitated porcine heart at no further sympathetic activation.
Acta Physiol (Oxf). 2011; 203(4):409-418

Zelzer, S; Fuchs, N; Almer, G; Raggam, RB; Prüller, F; Truschnig-Wilders, M; Schnedl, W; Horejsi, R; Möller, R; Weghuber, D; Ille, R; Mangge, H High density lipoprotein cholesterol level is a robust predictor of lipid peroxidation irrespective of gender, age, obesity, and inflammatory or metabolic biomarkers.
Clin Chim Acta. 2011; 412(15-16):1345-1349

Abstracts

Kniepeiss, D; Trummer, O; Wagner, D; Wasler, A; Truschnig-Wilders, M; Iberer, F; Tscheliessnigg, KH; Renner, W The Role of CYP2C8 Genotypes in Dose Requirement and Levels of Everolimus after Heart Transplantation.
AM J TRANSPLANT. 2011; 11: 683- [Oral Communication]

Posch, V; Raggam, RB; Pruller, F; Truschnig-Wilders, M; Fuchs, N; Stoisser, A; Korbelius, M; Mangge, H THE ROLE OF ENDOGENOUS THROMBIN POTENTIAL AND PLASMA

MICROPARTICLE CONCENTRATION IN OBESITY: RESULTS FROM THE STYJOBS/EDECTA STUDY

CLIN CHEM LAB MED. 2011; 49: S508-S508.-IFCC Worldlab Berlin 2011; 15.-19. May 2011; Berlin. [Poster]

Pruller, F; Matzhold, EM; Raggam, RB; Mangge, H; Truschnig-Wilders, M; Siegert, G; Kostka, H
DETECTION OF AN ADDITIONAL, NEWLY DETECTED POLYMORPHISM IN THE FACTOR V GENE WITH A HETEROZYGOUS FACTOR V LEIDEN GENOTYPE SHOWING A NORMAL APC-RESISTENCE TEST RESULT

CLIN CHEM LAB MED. 2011; 49: S507-S507. [Oral Communication]

Pruller, F; Posch, V; Weiss, EC; Postlbauer, C; Gary, T; Hafner, F; Mangge, H; Truschnig-Wilders, M; Raggam, RB MEASUREMENT OF SOLUBLE FIBRIN IN PERIPARTUM PHASE

CLIN CHEM LAB MED. 2011; 49: S507-S507. [Poster]

Raggam, RB; Posch, V; Pruller, F; Kqiku, X; Kovacs, G; Truschnig-Wilders, M; Olschewski, H
DETERMINATION OF THE PROCOAGULANT ACTIVITY IN PATIENTS WITH PULMONARY HYPERTENSION USING THE NEW STA (R)(-)PROCOAG-PPL KIT AND THE NEW INNOVANCE (R) TEST

CLIN CHEM LAB MED. 2011; 49: S508-S508.-IFCC Worldlab; MAY 15-19,2011; [Poster]

Schwarzl, M; Seiler, S; Huber, S; Steendijk, P; Machler, H; Truschnig-Wilders, M; Pieske, B; Post, H
The Induction of Mild Hypothermia Prevents Acute Respiratory Failure During Endotoxemia in Pigs
CIRCULATION. 2011; 124(21):

Schwarzl, M; Seiler, S; Huber, S; Steendijk, P; Machler, H; Truschnig-Wilders, M; Pieske, B; Post, H
The Induction of Mild Hypothermia Prevents Sympathetic Activation but Preserves Systemic Vascular Resistance During Endotoxemia in Pigs
CIRCULATION. 2011; 124(21):

Wagner, J; Semmelrock, HJ; Bottcher-Lorenz, J; Pruller, F; Truschnig-Wilders, M; Kessler, HH; Santner, BI; Raggam, RB STABILITY OF PATHOGENS IN URINE SAMPLES OVER TIME USING A URINE COLLECTION TUBE CONTAINING A NOVEL MIXTURE OF PRESERVATIVES
CLIN CHEM LAB MED. 2011; 49: S734-S734.-IFCC Worldlab ; MAY 15-19,2011; Berlin. [Poster]

Wallner, M; Schwarzl, M; Seiler, S; Huber, S; Steendijk, P; Machler, H; Truschnig-Wilders, M; Pieske, B; von Lewinski, D; Post, H The Induction of Mild Hypothermia Improves Myocardial beta-Adrenergic Responsiveness During Endotoxemia in Pigs
CIRCULATION. 2011; 124(21):

2010

Originalarbeiten

Bahadori, B; Uitz, E; Mayer, A; Harauer, J; Dam, K; Truschnig-Wilders, M; Pilger, E; Renner, W
Polymorphisms of the hypoxia-inducible factor 1 gene and peripheral artery disease.
Vasc Med. 2010; 15(5):371-374

Bernecker, C; Pailer, S; Kieslinger, P; Horejsi, R; Möller, R; Lechner, A; Wallner-Blazek, M; Weiss, S; Fazekas, F; Truschnig-Wilders, M; Gruber, HJ GLP-2 and leptin are associated with hyperinsulinemia in non-obese female migraineurs.
Cephalalgia. 2010; 30(11):1366-1374

Gruber, HJ; Bernecker, C; Lechner, A; Weiss, S; Wallner-Blazek, M; Meinitzer, A; Hobarth, G; Renner, W; Fauler, G; Horejsi, R; Fazekas, F; Truschnig-Wilders, M Increased nitric oxide stress is

associated with migraine.
Cephalalgia. 2010; 30(4):486-492

Gruber, HJ; Bernecker, C; Pailer, S; Fauler, G; Horejsi, R; Möller, R; Lechner, A; Fazekas, F; Truschnig-Wilders, M Hyperinsulinaemia in migraineurs is associated with nitric oxide stress.
Cephalalgia. 2010; 30(5):593-598

Gruber, HJ; Bernecker, C; Pailer, S; Lechner, A; Horejsi, R; Möller, R; Fazekas, F; Truschnig-Wilders, M Increased dopamine is associated with the cGMP and homocysteine pathway in female migraineurs.
Headache. 2010; 50(1):109-116

Gruber, HJ; Bernecker, C; Pailer, S; Lechner, A; Horejsi, R; Möller, R; Fazekas, F; Truschnig-Wilders, M Lipid profile in normal weight migraineurs - evidence for cardiovascular risk.
Eur J Neurol. 2010; 17(3):419-425

Mangge, H; Almer, G; Truschnig-Wilders, M; Schmidt, A; Gasser, R; Fuchs, D Inflammation, Adiponectin, Obesity and Cardiovascular Risk.
Curr Med Chem. 2010; 17(36):4511-4520

2009

Originalarbeiten

Zelzer, S; Khoschsorur, G; Stettin, M; Weihrauch, G; Truschnig-Wilders, M Determination of myeloperoxidase in EDTA plasma: comparison of an enzyme-linked immunosorbent assay with a chemiluminescent automated immunoassay.
Clin Chim Acta. 2009; 406(1-2):62-65

Zelzer, S; Stiegler, P; Kapitan, M; Schaffellner, S; Schweiger, M; Stettin, M; Stojakovic, T; Truschnig-Wilders, M; Tscheliessnigg, KH; Khoschsorur, G Myeloperoxidase as serum marker for detection of CMV infections and rejections in patients after liver or heart transplantation.
Transpl Immunol. 2009; 20(3):121-126

Abstracts

Post, H; Schwarzl, M; Steendijk, P; Huber, S; Maechler, H; Truschnig-Wilders, M; Pieske, B The Induction of Mild Hypothermia is Associated With Cardiac Diastolic Dysfunction
CIRCULATION. 2009; 120(18):S1484-S1484. [Poster]

Post, H; Schwarzl, M; Steendijk, P; Huber, S; Maechler, H; Truschnig-Wilders, M; Pieske, B The Induction of Mild Hypothermia Preserves Myocardial Contractility After Ventricular Fibrillation/Resuscitation in Pigs.
Circulation 2009; 120: S1484--AHA; NOV 14-17, 2009; Orlando, USA. [Poster]

2008

Originalarbeiten

Gruber, HJ; Mayer, C; Mangge, H; Fauler, G; Grandits, N; Wilders-Truschnig, M Obesity reduces the bioavailability of nitric oxide in juveniles. Int J Obes (Lond). 2008; 32(5):826-831

Gruber, HJ; Mayer, C; Meinitzer, A; Almer, G; Horejsi, R; Moller, R; Pilz, S; Marz, W; Gasser, R; Truschnig-Wilders, M; Mangge, H Asymmetric dimethylarginine (ADMA) is tightly correlated with growth in juveniles without correlations to obesity related disorders.
Exp Clin Endocrinol Diabetes. 2008; 116(9):520-524

Wilders-Truschnig, M; Mangge, H; Lieners, C; Gruber, HJ; Mayer, C; März, W IgG antibodies against food antigens are correlated with inflammation and intima media thickness in obese juveniles. *Exp Clin Endocrinol Diabetes*. 2008; 116(4):241-245

Kurzbericht/Letter

Yazdani-Biuki, B; Brickmann, K; Langsenlehner, U; Renner, W; Truschnig, M; Krippel, P; Fürst, F; Graninger, WB; Brezinschek, HP The Glu228Ala polymorphism in the ligand-binding domain of death receptor 4 is not associated with rheumatoid arthritis. *Ann Rheum Dis*. 2008; 67(7):1053-1054

Abstracts

Pruller, F; Ramschak, H; Hodl, R; Kainz, J; Truschnig, M Dual anti-platelet therapy with aspirin and clopidogrel might be ineffective in cardiologic patients regarding the flow-cytometric platelet reactivity index
WIEN KLIN WOCHENSCHR. 2008; 120(15-16):A54-A54.-39. Jahrestagung der Österreichischen Gesellschaft für Innere Medizin; Sept 17-20,2008; Graz, AUSTRIA. [Poster]

2007

Originalarbeiten

Mayer, C; Gruber, HJ; Landl, EM; Pailer, S; Scharnagl, H; Truschnig-Wilders, M; März, W Rosuvastatin reduces interleukin-6-induced expression of C-reactive protein in human hepatocytes in a STAT3- and C/EBP-dependent fashion. *Int J Clin Pharmacol Ther*. 2007; 45(6):319-327

Abstracts

Mangge, H; Sargsyan, K; Almer, G; Nemet, A; Spindelboeck, W; Dolinar, U; Hiden, M; Rosenkranz, A; Horejsi, R; Moller, R; Windhaber, J; Schober, P; Truschnig-Wilders, M Preatherosclerosis and metabolic abnormalities in obese juveniles during lifestyle intervention - The impact of SAT distribution
ATHEROSCLER SUPPL. 2007; 8(1):183-183.-77th Annual Congress of the European Atherosclerosis Society; JUN 10-13, 2007; Helsinki, Finland. [Poster]

2002

Originalarbeiten

Halwachs-Baumann, G; Genser, B; Pailer, S; Engele, H; Rosegger, H; Schalk, A; Kessler, HH; Truschnig-Wilders, M Human cytomegalovirus load in various body fluids of congenitally infected newborns. *J Clin Virol*. 2002; 25 Suppl 3(1):S81-S87

2001

Originalarbeiten

Genser, B; Truschnig-Wilders, M; Stünzner, D; Landini, MP; Halwachs-Baumann, G Evaluation of five commercial enzyme immunoassays for the detection of human cytomegalovirus-specific IgM antibodies in the absence of a commercially available gold standard. *Clin Chem Lab Med*. 2001; 39(1):62-70

Halwachs-Baumann, G; Wilders-Truschnig, M; Enzinger, G; Eibl, M; Linkesch, W; Dornbusch, HJ; Santner, BI; Marth, E; Kessler, HH Cytomegalovirus diagnosis in renal and bone marrow transplant

recipients: the impact of molecular assays.
J Clin Virol. 2001; 20(1-2):49-57

2000

Originalarbeiten

Halwachs-Baumann, G; Genser, B; Danda, M; Engele, H; Rosegger, H; Fölsch, B; Maurer, U; Lackner, H; Truschnig-Wilders, M Screening and diagnosis of congenital cytomegalovirus infection: a 5-y study.
Scand J Infect Dis. 2000; 32(2):137-142

1999

Originalarbeiten

Samonigg, H; Wilders-Truschnig, M; Kuss, I; Plot, R; Stöger, H; Schmid, M; Bauernhofer, T; Tiran, A; Pieber, T; Havelec, L; Loibner, H A double-blind randomized-phase II trial comparing immunization with anti-idiotypic goat antibody vaccine SCV 106 versus unspecific goat antibodies in patients with metastatic colorectal cancer.
J Immunother. 1999; 22(6):481-488

Tiran, A; Tio, RA; Oostenveld, E; Harmsen, MC; Tiran, B; Den Heijer, P; Monnink, SH; Wilders-Truschnig, MM; The, TH Humoral immune response to human cytomegalovirus in patients undergoing percutaneous transluminal coronary angioplasty.
Clin Diagn Lab Immunol. 1999; 6(1):45-49

Tiran, A; Tio, RA; Ossewaarde, JM; Tiran, B; den Heijer, P; The, TH; Wilders-Truschnig, MM Coronary angioplasty induces rise in Chlamydia pneumoniae-specific antibodies.
J Clin Microbiol. 1999; 37(4):1013-1017

Abstracts

Bauernhofer, T; Schmid, M; Resel, M; Gilli, R; Halwachs, G; Lanzer, G; Wilders-Truschnig, M; Samonigg, H Detection of minimal residual disease in bone marrow (BM) peripheral blood (PB) and apheresis products (AP) in metastatic breast cancer patients receiving sequential dose intensive chemotherapy with PBPC support.
BONE MARROW TRANSPLANT 1999 23: S145-S145.

Schmid, M; Bauernhofer, T; Resel, M; Ploner, F; Schippinger, W; Gilli, R; Lanzer, G; Truschnig-Wilders, M; Samonigg, H High-dose chemotherapy with peripheral blood stem cell support for high risk breast cancer.
BONE MARROW TRANSPLANT 1999 23: S42-S42.

1998

Originalarbeiten

Dimai, HP; Porta, S; Wirnsberger, G; Lindschinger, M; Pamperl, I; Dobnig, H; Wilders-Truschnig, M; Lau, KH Daily oral magnesium supplementation suppresses bone turnover in young adult males. J Clin Endocrinol Metab. 1998; 83(8):2742-2748

Halwachs-Baumann, G; Wilders-Truschnig, M; Desoye, G; Hahn, T; Kiesel, L; Klingel, K; Rieger, P; Jahn, G; Sinzger, C Human trophoblast cells are permissive to the complete replicative cycle of human cytomegalovirus.
J Virol. 1998; 72(9):7598-7602

Lackner, C; Moser, R; Bauernhofer, T; Wilders-Truschnig, M; Samonigg, H; Berghold, A; Zatloukal, K Soluble CD44 v5 and v6 in serum of patients with breast cancer. Correlation with expression of CD44 v5 and v6 variants in primary tumors and location of distant metastasis. Breast Cancer Res Treat. 1998; 47(1):29-40

Tiran, A; Tio, RA; Oostenveld, E; Harmsen, MC; Tiran, B; den Heijer, P; Monnick, SH; Wilders-Truschnig, MM; The, TH Prior cytomegalovirus infection does not predict clinical outcome after percutaneous transluminal coronary angioplasty. CARDIOLOGY. 1998; 90(4): 263-268.

1997

Originalarbeiten

Halwachs-Baumann, G; Katzensteiner, S; Schnedl, W; Pürstner, P; Pieber, T; Wilders-Truschnig, M Comparative evaluation of three assay systems for automated determination of hemoglobin A1c. Clin Chem. 1997; 43(3):511-517

Schumacher, M; Halwachs, G; Tatzber, F; Fruhwald, FM; Zweiker, R; Watzinger, N; Eber, B; Wilders-Truschnig, M; Esterbauer, H; Klein, W Increased neopterin in patients with chronic and acute coronary syndromes. J Am Coll Cardiol. 1997; 30(3):703-707

Abstracts

Dimai, HP; Porta, S; Wimsberger, G; Wascher, T; Wilders-Truschnig, M; Leb, G; Lau, KHW Evidence that oral magnesium (Mg) supplementation in young males suppresses bone turnover. J BONE MINER RES 1997 12: F529-F529.

1996

Originalarbeiten

Halwachs, G; Iberer, F; Pieber, T; Müller, H; Tscheliessnigg, K; Tiran, A; Sabin, K; Wilders-Truschnig, M Troponin T as a marker for posttransplantation adaptational problems of the donor heart. J Heart Lung Transplant. 1996; 15(5):451-455

Huber, PR; Bischof, P; Kretschmer, R; Truschnig, M; Halwachs, G; Schmidt, M CA 15-3: a multicentre evaluation of automated and manual tests. Eur J Clin Chem Clin Biochem. 1996; 34(1):77-84

Reisinger, E; Wendelin, I; Gasser, R; Halwachs, G; Wilders-Truschnig, M; Krejs, G Antibiotics and increased temperature against *Borrelia burgdorferi* in vitro. Scand J Infect Dis. 1996; 28(2):155-157

Sedlmayr, P; Schallhammer, L; Hammer, A; Wilders-Truschnig, M; Wintersteiger, R; Dohr, G Differential phenotypic properties of human peripheral blood CD56dim+ and CD56bright+ natural killer cell subpopulations. Int Arch Allergy Immunol. 1996; 110(4):308-313

Stauber, RE; Vollmann, H; Pessler, I; Jauk, B; Lipp, R; Halwachs, G; Wilders-Truschnig, M Carbohydrate-deficient transferrin in healthy women: relation to estrogens and iron status. Alcohol Clin Exp Res. 1996; 20(6):1114-1117

Kurzbericht/Letter

Stauber, RE; Stepan, V; Trauner, M; Wilderstruschnig, M; Leb, G; Krejs, GJ Superior Diagnostic-Accuracy of Carbohydrate-Deficient Transferrin over Gamma-Glutamyl-Transferase - Reply
ALCOHOL ALCOHOLISM 1996 31: 306-306.

Abstracts

Gilli, R; Helmberg, W; Posch, U; Sipurzynski, S; Schwinger, W; Urban, C; TruschnigWilders, M; Lanzer, G Stem cell separations in pediatric patients weighing less than 20 kg
BRIT J HAEMATOL 1996 93: 911-911.

Tiran, A; Tio, R; Oostenveld, E; Harmsen, MC; denHeijer, P; Tiran, B; WildersTruschnig, MM; The, HT Serological response to Human Cytomegalovirus in patients undergoing percutaneous transluminal coronary angioplasty
CIRCULATION 1996 94: 4157-4157.

1995

Originalarbeiten

Sedlmayr, P; Blaschitz, A; Wilders-Truschnig, M; Tiran, A; Dohr, G Platelets contain interleukin-1 alpha and beta which are detectable on the cell surface after activation.
Scand J Immunol. 1995; 42(2):209-214

Stauber, RE; Stepan, V; Trauner, M; Wilders-Truschnig, M; Leb, G; Krejs, GJ Evaluation of carbohydrate-deficient transferrin for detection of alcohol abuse in patients with liver dysfunction.
Alcohol Alcohol. 1995; 30(2):171-176

Abstracts

Samonigg, h; Wilders-Truschnig, m; Kuss, i; Plot, r; Stoger, h; Schmid, m; Bauernhofer, t; Tiran, a; Havelec, I; Loibner, h Immunization with antiidiotype vaccine scv-106 prolongs survival-time of cancer-patients with metastatic colorectal-cancer - a randomized double-blind clinical-trial
Eur J Cancer 1995 31a: 45-45.

Kurzberichte/Notes

Schmid, M; Samonigg, H; Stöger, H; Auer, H; Sternthal, MH; Wilders-Truschnig, M; Reisinger, EC Use of interferon gamma and mebendazole to stop the progression of alveolar hydatid disease: case report.
Clin Infect Dis. 1995; 20(6):1543-1546 (- Case Report)

Sedlmayr, P; Plecko, B; Paschke, E; Zenz, W; Ramschak, H; Toplak, H; Wascher, TC; Wilders-Truschnig, M; Stöckler, S Severely depressed natural killer cell activity of patients with adrenoleukodystrophy under treatment with Lorenzo's oil.
J INHERIT METAB DIS 1995 18: 101-102.

Kommentare

Schumacher, M; Eber, B; Halwachs, G; Fruhwald, FM; Zweiker, R; Pokan, R; Wilders-Truschnig, M; Klein, W Dependence of soluble tumor necrosis factor receptor 1 and 2 values on the severity and duration of ischemic heart disease.
Circulation. 1995; 92(11):3362-3363

1994

Originalarbeiten

Dimai, HP; Porta, S; Wirnsberger, G; Dobnig, H; Leb, G; Truschnigwilders, M Magnesium Supplementation for 30 Days Leads to Correlative Changes in Circulating Ionized Magnesium and Parathormone (Ipth)
MAGNESIUM, BULL 1994 16: 113-118.

Fölsch, B; Gabriel, C; Wilders-Truschnig, MM; Lanzer, G Possibilities and limits of anti-HCV antibody screening in the blood donation service
Infusionsther Transfusionsmed. 1994; 21(6):388-392

Gilli, R; Truschnig-Wilders, M; Beaufort, F; Lanzer, G Quality control of blood components by means of flow cytometers
Beitr Infusionsther Transfusionsmed. 1994; 32: 394-396.

Halwachs, G; Tiran, A; Reisinger, EC; Zach, R; Sabin, K; Fölsch, B; Lanzer, H; Holzer, H; Wilders-Truschnig, M Serum levels of the soluble receptor for tumor necrosis factor in patients with renal disease.
Clin Investig. 1994; 72(6):473-476

Iberer, F; Halwachs-Baumann, G; Rödl, S; Pleisnitzer, A; Wasler, A; Auer, T; Petutschnigg, B; Müller, H; Tscheliessnigg, K; Wilders-Truschnig, M Monitoring of cytomegalovirus disease after heart transplantation: persistence of anti-cytomegalovirus IgM antibodies.
J Heart Lung Transplant. 1994; 13(3):405-411

Pristautz, H; Eherer, A; Brezinschek, R; Truschnig-Wilders, M; Petritsch, W; Schreiber, F; Hammer, HF; Wenzl, H; Hinterleitner, T; Reicht, G Prevalence of Helicobacter pylori antibodies in the serum of gastroenterologists in Austria. Endoscopy. 1994; 26(8):690-696

Stöger, H; Bauernhofer, T; Moser, R; Derstvenscheg, E; Schmid, M; Ploner, F; Pakisch, B; Wilders-Truschnig, M; Haas, J; Steindorfer, P; Samonigg, H Breast cancer in the man: a report of 30 patients
WIEN KLIN WOCHENSCHR. 1994; 106: 575-580.

Stöger, H; Bauernhofer, T; Schmid, M; Ploner, F; Moser, R; Derstvenscheg, E; Steindorfer, P; Wilders-Truschnig, M; Kuss, I; Samonigg, H A phase I/II study of 4'-O-tetrahydropyran-yl-doxorubicin, 5-fluorouracil, and high-dose leucovorin as first-line therapy in advanced breast cancer patients.
CANCER CHEMOTHER PHARMACOL. 1994; 35: 174-178.

Stöger, H; Schmid, M; Bauernhofer, T; Moser, R; Ploner, F; Derstvenscheg, E; Kasperek, AK; Kuss, I; Wilderstruschnig, M; Lackner, C; Steindorfer, P; Samonigg, H A phase II trial of weekly high-dose folinic acid and 5-fluorouracil in combination with epirubicin as salvage chemotherapy in advanced breast cancer.
Oncology. 1994; 51(6):518-522

Stöger, H; Wilders-Truschnig, M; Schmid, M; Petek, W; Samonigg, H Scurvy after a suicide attempt by starvation
Dtsch Med Wochenschr. 1994; 119(16):589-592 (- Case Report)

Tiran, A; Pieber, T; Tiran, B; Halwachs-Baumann, G; Dobnig, H; Grubelnig, H; Wilders-Truschnig, MM Automated determination of glycated hemoglobin: comparative evaluation of five assay systems.
J Clin Lab Anal. 1994; 8(3):128-134

Tiran, A; Pieber, T; Tiran, B; Halwachs-Baumann, G; Wilders-Truschnig, M Photometric determination of HbA1c levels in clinical practice
Dtsch Med Wochenschr. 1994; 119(23):833-836

Wascher, TC; Hermann, J; Brezinschek, HP; Brezinschek, R; Wilders-Truschnig, M; Rainer, F; Krejs, GJ Cell-type specific response of peripheral blood lymphocytes to methotrexate in the treatment of rheumatoid arthritis.
Clin Investig. 1994; 72(7):535-540

Wascher, TC; Hermann, J; Brezinschek, R; Brezinschek, HP; Wilders-Truschnig, M; Rainer, F; Krejs, GJ Serum levels of interleukin-6 and tumour-necrosis-factor-alpha are not correlated to disease activity in patients with rheumatoid arthritis after treatment with low-dose methotrexate.
Eur J Clin Invest. 1994; 24(1):73-75

Kurzbericht/Letter

Medeiros-Neto, G Iodine supplementation and thyroid autoimmunity.
CLIN ENDOCRINOL . 1994; 40(3): 435-435.

Kurzberichte

Silly, H; Wilders-Truschnig, M; Brezinschek, R; Brezinschek, HP; Schmid, M; Kuss, I; Mucher, K; Stöger, H; Samonigg, H Varying Amounts of Tumor-Cells in the Bone-Marrow of Patients with Nonmetastatic Colorectal-Cancer
ONKOLOGIE. 1994; 17: 184-186.

Stöger, H; Bauernhofer, T; Kasperek, AK; Schmid, M; Moser, R; Ploner, F; Derstvenscheg, E; Kuss, I; Wilders-Truschnig, M; Steindorfer, P; Rosanelli, G; Samonigg, H Weekly 5-fluorouracil and high-dose folinic acid in combination with epidoxorubicin as first-line therapy in advanced breast cancer: a phase II study.
CANCER CHEMOTHER PHARMACOL. 1994; 34: 75-78. Toplak, H; Wascher, TC; Pleschko, B; Ramschak, H; Sedlmayr, P; Wilders-Truschnig, M; Stöckler, S Reduced stimulability of platelet surface adhesion molecules under treatment with Lorenzo's oil.
J Inher Metab Dis. 1994; 17(5):628-629

1993

Originalarbeiten

Dimal, P; Wilders-Truschnig, M; Mooij, P; Leb, G; Eber, O; Langsteger, W; Hebenstreit, J; Beham, A; Stiegler, C; Dohr, G Expression of various MHC class II molecules and of intracellular adhesion molecule-1 (ICAM-1) on focal clusters of dendritic cells in iodine deficiency goitres.
Clin Exp Immunol. 1993; 92(3):397-403

Halwachs, G; Zach, R; Poggitsch, H; Holzer, H; Tiran, A; Iberer, F; Wasler, A; Tscheliessnigg, HP; Lanzer, G; Fölsch, B A rapid immunocytochemical assay for CMV detection in peripheral blood of organ-transplanted patients in clinical practice.
Transplantation. 1993; 56(2):338-342

Mooij, P; de Wit, HJ; Bloot, AM; Wilders-Truschnig, MM; Drexhage, HA Iodine deficiency induces thyroid autoimmune reactivity in Wistar rats. *Endocrinology* 1993 133: 1197-1204.

Stöger, H; Wilders-Truschnig, M; Samonigg, H; Schmid, M; Bauernhofer, T; Tiran, A; Tas, M; Drexhage, HA The presence of immunosuppressive 'p15E-like' factors in the serum and urine of patients suffering from malign and benign breast tumours.
Clin Exp Immunol. 1993; 93(3):437-441

Tiran, A; Tiran, B; Hojas, S; Kostner, GM; Wilders-Truschnig, MM Immunoquantification of lipoprotein(a): comparison of nephelometry with electroimmunodiffusion.
J Clin Lab Anal. 1993; 7(5):256-262

Wilders-Truschnig, MM; Warnkross, H; Leb, G; Langsteger, W; Eber, O; Tiran, A; Dobnig, H; Passath, A; Lanzer, G; Drexhage, HA The effect of treatment with levothyroxine or iodine on thyroid size and thyroid growth stimulating immunoglobulins in endemic goitre patients.
Clin Endocrinol (Oxf). 1993; 39(3):281-286

1992

Originalarbeiten

Klein, G; Castineiras, MJ; Collinsworth, W; Courbe, A; Delavenne, M; Hanseler, E; Hannak, D; Kaspar, P; Kattermann, R; Knoke, A; Mastropaolo, W; Moia, F; Nelson, P; Oellerich, M; Suigo, E; Swanson, R; Torralba, A; Valdes, R; Wilderstruschnig, M; Wu, AHB Results of the Multicenter Evaluation of the Cedia(R) Theophylline Assay
WIEN KLIN WOCHENSCHR 1992 104: 31-37.

Klein, G; Collinsworth, W; Courbe, A; Diez, O; Domke, I; Hanseler, E; Haux, P; Kattermann, R; Knoke, A; Lehmann, P; Moia, F; Nelson, P; Oellerich, M; Suigo, E; Torralba, A; Valdes, R; Wilderstruschnig, M; Wu, AHB Results of the Multicenter Evaluation of the Cedia(R) Phenobarbital Assay
WIEN KLIN WOCHENSCHR. 1992; 104: 43-47.

Samonigg, H; Wilders-Truschnig, M; Loibner, H; Plot, R; Rot, A; Kuss, I; Werner, G; Stöger, H; Wrann, M; Herlyn, D Immune response to tumor antigens in a patient with colorectal cancer after immunization with anti-idiotypic antibody.
Clin Immunol Immunopathol. 1992; 65(3):271-277 (- Case Report)

Wilders-Truschnig, MM; Leb, G; Warnkross, H; Langsteger, W; Eber, O; Dimal, P; Brezinschek, HP; Brezinschek, R; Tiran, A; Den Hartog, MT Involvement of the immune system in iodine deficient goiter.
Thyroidology. 1992; 4(1): 53-55.

Kurzbericht/Letter

Silly, H; Samonigg, H; Stöger, H; Brezinschek, HP; Wilders-Truschnig, M Micrometastatic tumour cells in bone marrow in colorectal cancer.
Lancet. 1992; 340(8830):1288-1288

Kommentare

Schumacher, M; Tiran, A; Eber, B; Toplak, H; Wilders-Truschnig, M; Klein, W Lipoprotein (a) is not a risk factor for restenosis after percutaneous transluminal coronary angioplasty.
Am J Cardiol. 1992; 69(5):572-572

1990

Originalarbeiten

Brezinschek, HP; Wilders-Truschnig, M; Leb, G; Eber, O; Dohr, G; Lanzer, G; Krejs, GJ Thyroid growth promoting serum-IgG in endemic goiter.
Acta Med Austriaca. 1990; 17 Suppl 1:26-

Dimal, P; Wilders-Truschnig, M; Leb, G; Beham, A; Eber, O; Hebenstreit, J; Loidolt, D; Dohr, G; Lanzer, G Thyroid infiltrating dendritic cells, epitheloid cells and giant cells in iodine deficiency.
ACTA MED AUST. 1990; 17: 43-43.

Loidolt, D; Mangge, H; Wilders-Truschnig, M; Beaufort, F; Schauenstein, K Suppression of lymphocyte function 2 years following surgical treatment of paranasal sinus mycosis
LARYNGO RHINO OTOL. 1990; 69(4): 226-229.

Wilders-Truschnig, MM; Drexhage, HA; Leb, G; Eber, O; Brezinschek, HP; Dohr, G; Lanzer, G; Krejs, GJ Chromatographically purified immunoglobulin G of endemic and sporadic goiter patients stimulates FRTL5 cell growth in a mitotic arrest assay.
J Clin Endocrinol Metab. 1990; 70(2):444-452

Kurzbericht/Letter

Loibner, H; Plot, R; Rot, A; Werner, G; Wrann, M; Samonigg, H; Schmid, M; Stöger, H; Truschnig, M; Herlyn, D Immunoreactivity of patient with colorectal cancer metastasis after immunisation with anti-idiotypes.
Lancet. 1990; 335(8682):171-171 (- Case Report)

Übersichtsarbeiten

Drexhage, HA; Mooij, P; Wilders-Truschnig, MM Thyroid growth stimulating immunoglobulins in sporadic and endemic colloid goitre.
Thyroidology. 1990; 2(3): 99-105.

1989

Originalarbeiten

Loidolt, D; Mangge, H; Wilders-Truschnig, M; Beaufort, F; Schauenstein, K In vivo and in vitro suppression of lymphocyte function in paranasal sinus mycoses
Laryngorhinootologie. 1989; 68(7):407-410

Loidolt, D; Mangge, H; Wilders-Truschnig, M; Beaufort, F; Schauenstein, K In vivo and in vitro suppression of lymphocyte function in Aspergillus sinusitis.
Arch Otorhinolaryngol. 1989; 246(5):321-323

Wilders-Truschnig, MM; Kabel, PJ; Drexhage, HA; Beham, A; Leb, G; Eber, O; Hebenstreit, J; Loidolt, D; Dohr, G; Lanzer, G Intrathyroidal dendritic cells, epitheloid cells, and giant cells in iodine deficient goiter.
AMER J PATHOL 1989 135: 219-225.

1988

Originalarbeiten

Gailhofer, G; Wilders-Truschnig, M; Smolle, J; Ludvan, M Asthma caused by bromelain: an occupational allergy.
Clin Allergy. 1988; 18(5):445-450

Kurzberichte/Notes

Wilders-Truschnig, M; Muntean, W; Zenz, W; Vadon, M; Beaufort, F; Teubl, I Testing for human immunodeficiency virus (HIV-1) antigens in haemophiliacs positive for HIV antibody. BLUT. 1988; 56(3): 131-134.

1987

Originalarbeiten

Dohr, GA; Motter, W; Leitinger, S; Desoye, G; Urdl, W; Winter, R; Wilders-Truschnig, MM; Uchanska-Ziegler, B; Ziegler, A Lack of expression of HLA corrected class I and class II molecules on the human oocyte. J IMMUNOL 1987 138: 3766-3770.

Gailhofer, G; Teubl, I; Wilders-Truschnig, M; Ludvan, M Allergic bronchial asthma caused by bromelin Derm Beruf Umwelt. 1987; 35(5): 174-176. (- Case Report)

1985

Originalarbeiten

Wilders, MM; Drexhage, HA; Sminia, T; Mullink, H; Weltevreden, EF; Plesh, BE; Meuwissen, SG Veiled cells in the gastrointestinal tract. Acta Chir Scand Suppl. 1985; 525:93-111

1984

Originalarbeiten

Wilders, MM; Drexhage, HA; Kokjé, M; Verspaget, HW; Meuwissen, SG Veiled cells in chronic idiopathic inflammatory bowel disease. Clin Exp Immunol. 1984; 55(2):377-387

Wilders, MM; Drexhage, HA; Kokjé, M; Verspaget, HW; Meuwissen, SG Peripolexis followed by cytotoxicity in chronic idiopathic inflammatory bowel disease. Clin Exp Immunol. 1984; 57(3):614-620

1983

Originalarbeiten

Sminia, T; Wilders, MM; Janse, EM; Hoefsmit, EC Characterization of non-lymphoid cells in Peyer's patches of the rat. Immunobiology. 1983; 164(2):136-143

Sminia, T; Wilders, MM; Janse, MM Antigen-processing cells in gut associated lymphoid tissue (GALT). Cell Biol Int Rep. 1983; 7(9):677-677

Wilders, MM; Drexhage, HA; Weltevreden, EF; Mullink, H; Duijvestijn, A; Meuwissen, SG Large mononuclear Ia-positive veiled cells in Peyer's patches. I. Isolation and characterization in rat, guinea-pig and pig. Immunology. 1983; 48(3): 453-460.

Wilders, MM; Sminia, T; Janse, EM Ontogeny of non-lymphoid and lymphoid cells in the rat gut with special reference to large mononuclear Ia-positive dendritic cells. Immunology. 1983; 50(2):303-314

Wilders, MM; Sminia, T; Plesch, BE; Drexhage, HA; Weltevreden, EF; Meuwissen, SG Large mononuclear Ia-positive veiled cells in Peyer's patches. II. Localization in rat Peyer's patches. Immunology. 1983; 48(3):461-467

1982

Originalarbeiten Sminia, T; Janse, EM; Wilders, MM Antigen-trapping cells in Peyer's patches of the rat. Scand J Immunol. 1982; 16(6):481-485

1979

Originalarbeiten

Mullink, H; Von Blomberg, M; Wilders, MM; Drexhage, HA; Alons, CL A simple cytochemical method for distinguishing EAC rosettes formed by lymphocytes and monocytes. J Immunol Methods. 1979; 29(2):133-137