

The flexible platform AGV for intralogistics

AGUMOS F52

Under-running, lifting and transporting load carriers – these are the tasks of the intelligent platform AGV from the AGUMOS series. The flat constructed AGUMOS F52 combines advanced technology with an industrially oriented design.

Technical Data

Load capacity: 1,000 kg

Speed: 1 m/s

Navigation: SLAM navigation or camera-based track guidance

Dimensions: 1,390 mm x 520 mm x 225 mm / 255 mm raised (L x W x H)

Weight: 98 kg

Lifting height: 30 mm

Melkus Mechatronic

The flexible platform AGV for intralogistics

AGUMOS F52



Flexible

■ Clever "Multi-Differential Steering" enables use in the tightest space ■ Free motion of the AGV in all directions ■ SLAM navigation or camera-based track guidance ■ Operation and diagnostics also with smart devices ■ Easy integration into existing systems

Intelligent

■ High personnel safety via laser scanner ■ Compact automation solution from SIGMATEK ■ WLAN communication with the guidance system ■ Gentle material transport and low floor wear via smart drive technology ■ Flexible task creation





Efficient

■ Reduced distance via lateral travel capability ■ LiFePo4 high-performance power-packs allow 4-hr-operation ■ Short battery charging times ■ Energy efficiency via low net weight ■ Maintenance-free, hydraulic lifting mechanism ■ Platform accessible from all sides

Application Areas

■ Point-to-point transport ■ Transport tasks in limited space conditions ■ Material and workpiece transport within the production ■ Storage logistics and commissioning tasks

